

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/912,576	07/24/2001	John Thomas Allen	SUREB-57333	6668
39607 7590 06/04/2007 PETER K HAHN LUCE, FORWARD, HAMILTON, SCRIPPS, LLP. 600 WEST BROADWAY SUITE 2600			EXAMINER .	
			MCKANE, ELIZABETH L	
			ART UNIT	PAPER NUMBER
SAN DIEGO, CA 92101			1744	
	,			
			MAIL DATE	DELIVERY MODE
			06/04/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No.	Applicant(s)	
09/912,576	ALLEN ET AL.	
Examiner	Art Unit	
Leigh McKane	1744	

Advisory Action Before the Filing of an Appeal Brief --The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 08 May 2007 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. 1. The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods: The period for reply expires <u>4</u> months from the mailing date of the final rejection. The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). NOTICE OF APPEAL 2. The Notice of Appeal was filed on . A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a). **AMENDMENTS** 3. The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below); (b) They raise the issue of new matter (see NOTE below): (c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or (d) They present additional claims without canceling a corresponding number of finally rejected claims. NOTE: \_\_\_\_\_. (See 37 CFR 1.116 and 41.33(a)). 4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324). 5. Applicant's reply has overcome the following rejection(s): 6. Newly proposed or amended claim(s) \_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 7.  $\square$  For purposes of appeal, the proposed amendment(s): a)  $\square$  will not be entered, or b)  $\square$  will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: Claim(s) rejected: \_ Claim(s) withdrawn from consideration: \_\_\_\_\_. AFFIDAVIT OR OTHER EVIDENCE 8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e). 9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be

- entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).
- 10. The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER
- 11. 

  The request for reconsideration has been considered but does NOT place the application in condition for allowance because: see attachment.
- 12. Note the attached Information Disclosure Statement(s). (PTO/SB/08) Paper No(s).

13. Other: \_\_\_\_\_.

Primary Examiner, AU 1744

Page 2

## Advisory Action

1. On page 2 of the Remarks filed 8 May 2007 Applicant submits that "the Examiner has not provided a source of any teaching or suggestion of a radiation absorbing fixture removably coupled to the external surface of a closed container." Applicant continues on page 3 of the Remarks, noting that "[e]ach recited feature has to be found somewhere in the cited references, otherwise the Examiner would have to be using impermissible hindsight to form the rejection." On page 4 of the Remarks, Applicant asserts that "neither Doi nor Ichihara discloses a radiation absorbing fixture removeably coupled to an external surface of a closed container."

In response, the Examiner notes that if either Doi or Ichihara did disclose a radiation absorbing fixture removeably coupled to an external surface of a closed container, they would be anticipatory references. As set forth in the Final Rejection, anticipations is not required to reject the claims. Doi teaches a radiation absorbing fixture removably coupled to the external surface of articles placed within a container. Ichihara discloses the radiation sterilization of a closed container. Ichihara further provided motivation to enclose the articles of Doi within a closed container. The combination of Doi with Ichihara results in placing the removable fixture of Doi on the external surface of the closed container suggested by Ichihara.

The instant invention is deemed obvious and the rejection as set forth in the Final Rejection is maintained.

Application/Control Number: 09/912,576 Page 3

Art Unit: 1744

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leigh McKane whose telephone number is 571-272-1275. The

examiner can normally be reached on Monday-Friday (5:30 am-2:00 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on 571-272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Leigh McKane Briman, Examina

Primary Examiner
Art Unit 1744

elm 30 May 2007